



Tapiflex Laser 4

DESCRIPTION

Inlaid compact acoustic vinyl floorcovering with very high density foam backing on a stabilized carrier, filler free wear layer.

PUR Reinforced, built-in fungistatic & bacteriostatic Sanitized® treatment.

Product standard: EN 651.

Technical data	Standards	TX LASER 4 Composite	TX LASER 4 Sideral
Classification	EN 685 domestic commercial industrial UPEC	Classes: 34 U4 P3 E2/3 C2	Classes: 34 U4 P3 E2/3 C2
Total thickness	EN 428	3.15 mm	2.95 mm
Wear layer thickness	EN 429	1.20 mm	1.00 mm
Total weight	EN 430	3 885 g/m ²	3 680 g/m ²
PUR Reinforcement		Yes	Yes
Abrasion Group	EN 660-1	Group T: ≤ 0.08 mm	
Residual indentation	EN 433	0.05 mm	
Underfoot comfort	EN 433	≥ 0.40 mm	
Furniture leg	EN 424	No damage	
Castor chair	EN 425	No damage	
Dimensional stability	EN 434	≤ 0.10%	
Curl resultant to heat	EN 434	≤ 8 mm	
Reaction to fire	EN 13501-1 NF P 92506 ASTM E648	C _{fl} s1 M3 Category 1	
Slip resistance	DIN 51130 pr EN 13893	R10 ≥ 0.3	
Electrostatic properties	EN 1815 EN 1081 IEC 14041	2 kV R1 > 10 ¹⁰ Ω Antistatic	
Impact sound reduction	EN ISO 140-8 EN ISO 717/2 ΔL _w	14 dB	
Acoustic improvement	NF S 31-074 L _{n,e,w}	61 dB	61 dB
Light fastness	EN ISO 105-B02	≥ 6/8	
Chemical resistance	EN 423	High resistance	
Resistance to bacteria	NF EN ISO 846	Sanitized - Grade 0 - high fungi effect	
Thermal resistance Underfloor heating	EN 12524	0.05 m ² K/W Suitable	
Colours		Sideral: 9 Composite: 11	
Form of delivery	EN 426	Rolls: 23 lm x 2 m	

The above information is subject to modification for the benefit of further improvement (05/05). For more detailed technical information, please contact Tarkett.

Follow Tarkett's installation and maintenance instructions carefully. These instructions are available upon request.



TARKETT SALES COMPANIES

www.tarkett-commercial.com

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Ges.m.b.H. – Tel. +43 1 47 88 062 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67
 > **Canada:** Tarkett Inc. – Tel. +1 450 293 3173 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 62 88 15 38/39 > **Denmark:** Tarkett A/S
 Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett AG, Bereich Objekt – Tel. +49 6233 810
 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411
 > **Luxembourg:** Tel. +352 949 211 8804 > **Mexico:** +52 55 53 36 54 97 > **Middle East:** Tarkett Middle East – Tel. +961 1 75 2363/4 > **Netherlands:** Tarkett Benelux B.V.
 Tel. +31 76 57 80 700 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Polska Sp. z o.o. – Tel. +48 22 598 08 81 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20
 > **Russian Federation:** Tarkett Russia – Tel. +7 095 777 69 83 > **Singapore:** Tarkett Far East – Tel. +65 6743 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649
 > **Spain:** Tarkett Revestimientos SA – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 8 625 19 00 > **Switzerland:** Tarkett AG, Bereich Objekt Schweiz
 Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380 (44) 569 12 21 > **United Kingdom:** Tarkett-Marley Floors Limited – Tel. +44 (0) 1622 854 040 > **United States:**
 Tarkett Inc. USA – Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755