



According to European Classification EN 685



# Eclipse Premium

## DESCRIPTION

Eclipse Premium is a homogeneous, high-quality vinyl flooring suitable for most types of premises such as schools, healthcare facilities and other types of public buildings. Eclipse Premium needs no additional surface treatment such as polish or wax when exposed to normal wear and tear. This will have a beneficial effect on the life cycle cost. The Eclipse Premium range includes 22 harmonious colours.

Technical data		Eclipse Premium
Type of flooring	EN 649	Homogeneous vinyl flooring
CE certification		Yes
Classification	EN 685	Commercial: 34 Industrial: 43
Wear layer thickness	EN 429	2.0 mm
Surface treatment		PUR reinforced
Total thickness	EN 428	2.0 mm
Total weight/m <sup>2</sup>	EN 430	3150 g
Dimensional stability	EN 434	≤ 0.40% for rolls ≤ 0.25% for tiles
Abrasion		
Thickness loss	EN 660: Part 1	Group P: ≤ 0.15 mm
Volume loss	EN 660: Part 2	Group P: ≤ 4.00 mm <sup>3</sup>
Residual indentation	EN 433	Approx. 0.06 mm
Castor chair test	EN 425	Suitable
Static electrical charge	EN 1815	< 2 kV
Underfloor heating		Suitable – max. 27° C
Flexibility	EN 435	OK
Impact sound resistance	EN ISO 717/2	Approx. + 4 dB
Thermal resistance	EN 12667/DIN 52612	Approx. 0.01 m <sup>2</sup> K/W
Reaction to fire	EN 13501-1 EN ISO 9239-1 EN ISO 11925-2	Class B <sub>n</sub> s1 ≥ 8 kW/m <sup>2</sup> Pass
Light fastness	EN ISO 105-B02	≥ level 6
Chemical resistance	EN 423	Good resistance
Fungi and bacteria resistance	DIN EN 846-A/C	Does not favour growth
Slip resistance	DIN 51130 EN 13893	R9 ≥ 0.3
Colours		22
Form of delivery	EN 426 Sheet (rolls)  EN 427 Tiles (box)	Approx. 23 r m x 200 cm art. no. 3440_ _ _ 3-digit colour number  61 x 61 cm 16 tiles / box = 5.95 m <sup>2</sup> art. no. 3441_ _ _ 3-digit colour number

The above information is subject to modification for the benefit of further improvement (04/08).

For more detailed technical information, please contact Tarkett.

Please follow Tarkett's installation and maintenance instructions, included on the packaging, carefully.

NCS CODES AND WELDING RODS			
Colour N°	NCS number	Welding rod N°	Refl. factor (Y)
3440002	S 3010-Y40R	1294491	41.0
3440003	S 3005-Y20R	1287402	42.7
3440004	S 2020-Y20R	1292611	52.2
3440005	S 2010-Y60R	1288313	53.5
3440006	S 3005-Y80R	1287403	44.6
3440007	S 7010-Y70R	1287404	10.2
3440008	S 3020-R50B	1287405	34.6
3440009	S 5030-R80B	1292428	12.6
3440010	S 3020-G30Y	1287332	37.2
3440011	S 4040-G20Y	1287406	20.0
3440012	S 6502-B	1292459	15.4
3440014	S 4500-N	1292383	29.9
3440016	S 4030-R80B	1288307	19.7
3440018	S 3030-Y60R	1291363	31.9
3440026	S 2000-N	1287202	58.4
3440036	S 2005-Y40R	1292433	55.6
3440055	S 3502-B	1292388	35.9
3440056	S 2020-R90B	1291836	45.6
3440059	S 3010-G10Y	1291841	41.0
3440062	S 1030-Y20R	1287191	67.1
3440065	S 2070-Y90R	1288328	16.1
3440067	S 3020-R80B	1287192	33.3

Eclipse Premium brochure-English-3440350805-05/08-navigator



TARKETT SALES COMPANIES

[www.tarkett-commercial.com](http://www.tarkett-commercial.com)

> **Australia:** Tarkett Australia Pty Ltd – Tel. +61 2 96 34 73 73 > **Austria:** Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 > **Baltic States:** Tarkett SAS – Tel. +370 37 262 220 > **Belgium:** S.A. Tarkett NV – Tel. +32 2 520 04 67 > **China:** Tarkett Asia Pacific Limited Shanghai Representative Office – Tel. +86 (21) 60 95 68 38 > **Czech Republic:** Tarkett SAS, org. slozka – Tel. +420-271 001 602 > **Denmark:** Tarkett A/S – Tel. +45 43 90 60 11 > **Finland:** Tarkett Oy – Tel. +358 9 5406 5870 > **France:** Tarkett SAS – Tel. +33 1 41 20 42 49 > **Germany:** Tarkett Holding GmbH, Bereich Objekt – Tel. +49 6233 810 > **Greece:** Tarkett Monoprosopi Ltd – Tel. +30 2 10 576 3889 > **Hong Kong:** Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 > **Hungary:** Tarkett SAS – Tel. +36 1 437-8150 > **Italy:** Tarkett S.p.A. – Tel. +39 02 893 411 > **Luxembourg:** Tel. +352 949 211 8804 > **Middle East:** Tarkett Middle East – Tel. +961 1 51 3363/4 > **Netherlands:** Tarkett Benelux B.V. – Tel. +31 76 57 80 760 > **Norway:** Tarkett AS – Tel. +47 32 20 92 00 > **Poland:** Tarkett Wykładziny Sp. z o.o. – Tel. +48 22 639 31 66 > **Portugal:** Tarkett SA – Tel. +351 21 427 64 20 > **Russian Federation:** Tarkett Russia – Tel. +7 4 95 777 69 83 > **Slovakia:** Tarkett SAS – Tel. +421 37 6515 404 > **Singapore:** Tarkett Far East – Tel. +65 67 43 53 84 > **South East Europe:** Tarkett Trade d.o.o. – Tel. +381 21 7557 649 • (44) 569 12 21 > **Spain:** Tarkett Floors S.L. – Tel. +34 91 358 00 35 > **Sweden:** Tarkett Sverige AB – Tel. +46 771 25 19 00 > **Switzerland:** Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 > **Ukraine:** Tarkett UA – Tel. +380380 (44) 569 12 21 > **United Kingdom:** Tarkett Ltd – Tel. +44 (0) 1622 854 040 > **North America:** Johnsonite – Tel. +1 440 543 8916 > **Tarkett Inc. USA:** – Tel. +1 713 869 5811 > **Tarkett International:** Tel. +49 6233 811 755 – Tel. +33 1 41 20 41 01