

Homogeneous vinyl flooring



Somplan Plus



Homogeneous resilient
flooring with PU coating
Characteristic pattern
Rolls and tiles



Tarkett Sommer

Competitive flooring solutions

Somplan Plus is a homogeneous, high-quality, medium-priced flooring suitable for most types of environments such as schools, health care and retirement homes. Somplan Plus is an excellent choice when your budget requires low initial costs. The range includes 14 coordinated colourways with a strong character and a marble pattern that offers excellent opportunities for creating attractive and pleasing interior designs. Somplan Plus is available in roll and tile versions.

No treatment before use


Somplan Plus is PU-coated during manufacturing to seal its wear layer, which means the flooring needs no treatment before it can be used. After a period of time, most areas will need treatment with wax or spray polish to retain the good cleaning characteristics. Somplan Plus has clear advantages over low-price floor coverings and offers a good, competitive life cycle cost.

Focus on maintenance costs

Cleaning and maintenance costs are often overlooked in initial budgets at the planning stage, although they are the largest item of expenditure in property management. Analysis shows that cleaning and maintaining a floor over a 20-year lifetime normally costs ten times more than buying it. Choosing the right flooring with the right cleaning properties is therefore crucial for a good life cycle cost.

What pays in the long term?


This is how the life cycle costs for three different quality levels of resilient flooring might compare.



A complete analysis of the total life cycle costs for different vinyl floorings shows that a low-price floor covering, which requires regular treatment with polish, proves to be the most expensive choice in the long term. Somplan Plus has low initial costs, thanks to the PU coating. Our high-quality, low maintenance iQ floorings have the lowest overall costs of all.









Somplan Plus


Somplan Plus is a durable, medium-priced flooring suitable for most types of heavy contract areas. It has proven to be excellent value for money over many years. Due to the PU coating* the flooring needs no treatment before use.




NCS S 1050-Y50R
Welding Rod No. 32892560



NCS S 1070-Y20R
Welding Rod No. 32920500




NCS S 1020-Y30R
Welding Rod No. 32919570



NCS S 1010-Y40R
Welding Rod No. 32913420



NCS S 2010-Y60R
Welding Rod No. 32919830



NCS S 1005-Y40R
Welding Rod No. 32919610



NCS S 3020-B10G
Welding Rod No. 32892610



NCS S 2010-B30G
Welding Rod No. 32892600



NCS S 4030-R
Welding Rod No. 32918180



NCS S 2030-R80B
Welding Rod No. 32916230



NCS S 4030-R90B
Welding Rod No. 32892580



NCS S 5000-N
Welding Rod No. 32892640



NCS S 3502-R
Welding Rod No. 32928590



NCS S 2000-N
Welding Rod No. 32881240

Technical data		SOMPLAN PLUS
Type of floor covering	EN 649	Homogeneous vinyl flooring
Classification	EN 685	Commercial: 34 Industrial: 43
Wear layer thickness	EN 429	2.0 mm
Surface treatment		PU coating*
Total thickness	EN 428	2.0 mm
Total weight/m ²	EN 430	3.4 kg
Dimensional stability	EN 434	≤ 0.40%
Abrasion. Thickness loss	EN 660: Part 1	Group P: ≤ 0.15 mm
Volume loss	EN 660: Part 2	Group P: ≤ 4.0 mm ³
Residual indentation	EN 433	approx. 0.06 mm
Castors wheel test	EN 425	suitable
Underfloor heating		suitable – max. 30° C
Flexibility	EN 435	OK
Electrical resistance	EN 1081	approx. 10 ⁹ Ohm
Static electrical charge	EN 1815	< 2 kV
Impact sound reduction	EN ISO 717/2	approx. + 4 dB
Thermal resistance	DIN 52612	0.007 m ² K/W
Reaction to fire	DIN 4102 SS 024825 EN ISO 9239-1 Marine equipment IMO FTPC Part 5 and 2 IMO Res. A653	B1 Class G Class B _{fl} s1
Light fastness	EN 20105-B02	≥ 6
Chemical resistance	EN 423	good resistance
Slip resistance	DIN 51130	R9
Colours		14
Form of delivery	EN 426 Sheet (rolls) EN 427 Tiles (box)	approx. 23 running metres x 200 cm art. no. 3380 ___ 5 3 digit colour number 61 x 61 cm 14 tiles / box = 5.21 m ² art. no. 3381 ___ 0 3 digit colour number

*A protective coating that seals the surface and forms the basis for future maintenance. In most cases spray cleaning is sufficient to ensure good hygiene. If necessary, a high quality polish can be applied.

Tarkett Sommer's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett Sommer at the address shown for these instructions.

All colours also available as tiles.
Please contact your nearest Tarkett Sommer office for delivery details.

Australia: Tarkett Sommer Pty Ltd – Tel. +61 2 96 34 73 73 • **Austria:** Tarkett Sommer Ges.m.b.H. – Tel. +43 1 47 88 062 • **Belgium:** s.a. Tarkett Sommer n.v. – Tel. +32 2 520 04 67 • **Canada:** Domco Tarkett Inc. – Tel. +1 450 293 3173 • **China:** Tarkett Sommer Shanghai – Tel. +86 (21) 62 88 15 38/39 • **Denmark:** Tarkett Sommer A/S – Tel. +45 43 90 60 11 • **Finland:** Tarkett Sommer Oy – Tel. +358 9 682 31 20 • **France:** Tarkett Sommer SA – Tel. +33 1 41 20 42 49 • **Germany:** Tarkett Sommer Vertriebs GmbH & Co KG, Bereich Objekt – Tel. +49 6233 810 • **Greece:** Tarkett Sommer Monoprosopi Ltd – Tel. +30 (0)10 5763889 • **Hong Kong:** Tarkett Sommer Asia Pacific Ltd. – Tel. +852 2511 8716 • **Italy:** Tarkett Sommer S.p.A. – Tel. +39 02 319 211 • **Middle East:** Tarkett Sommer Middle East – Tel. +961 1 75 2363/4 • **Netherlands:** Tarkett Sommer Benelux BV – Tel. +31 765 780 700 • **Norway:** Tarkett Sommer AS – Tel. +47 32 20 92 00 • **Poland:** Tarkett Sommer Polska Sp. z o.o. – Tel. +48 22 639 30 25 • **Portugal:** Tarkett Sommer SA – Tel. +351 21 756 75 40 • **Russian Federation:** Tarkett Sommer Russia – Tel. +7 095 937 74 50/51 • **Singapore:** Tarkett Sommer Far East – Tel. +65 6743 53 84 • **Spain:** Tarkett Sommer SA – Tel. +34 91 358 00 35 • **Sweden:** Tarkett Sommer Försäljnings AB – Tel. +46 8 625 19 00 • **Switzerland:** Tarkett Sommer GmbH – Tel. +41 62 737 90 50 • **United Kingdom:** Tarkett Sommer Ltd – Tel. +44 (0)1905 342700 • **United States:** Domco Tarkett Inc. USA – Tel. +1 610 266 5500 • **Yugoslavia:** Sintelon – Tel. +381 21 7557 201 **Tarkett Sommer International GmbH:** Tel. +49 6233 811 755

www.tarkett-sommer.com



Tarkett Sommer